

PROM8908D/E EPROM/FLASH device support list (Apr. 18, 2005 V1.56)

i2764,27128	(Vpp=21.0V)	MX27C1001	(Vpp=12.75V)	M27C2002*	(Vpp=12.75V)
Intel	N 2764,27128	(Mask ROM Pinout)		SGS-Thomson	ST 27C2002
i2764A,128A	(Vpp=12.5V)	MXIC	MX 27C1001D	MX27C2048*	(Vpp=12.75V)
Intel	P 2764A,27128A	SGS	M 27C1000	MXIC	MX 27C2048
AT27C256R	(Vpp=13.0V)	TOSHIBA	TC 57C1001	Intel/...	27C220
Atmel	AT 27C/HC256	FUJITSU	MBM 27C1000	SGS	M 27C202
CY27C256	(Vpp=12.5V)	M27C1001	(Vpp=12.75V)	MX27C2100*	(Vpp=12.75V)
Cypress	CY 27C256	SGS-Thomson	ST 27C1001	MXIC	MX 27C2100
i27256	(Vpp=12.5V)	uPD27C1000	(Vpp=12.5V)	M27C4002*	(Vpp=12.75V)
Intel	P 27256	(Mask ROM Pinout)		SGS-Thomson	ST 27C4002
IS27HC256	(Vpp=12.5V)	Intel	27C1000	MX27C4096*	(Vpp=12.75V)
ISSI	IS 27HC256	Hitachi	HN 27C301G/P	Intel/...	27C240
MX27C256	(Vpp=12.75V)	Mitsubishi	M5M 27C100K	SGS	M 27C4002
Intel	N 27C256	A27020/8308A	(Vpp=12.75V)	MX27C4100*	(Vpp=12.75V)
NMC27C256	(Vpp=13.0V)	AMIC	278308A/27020	MXIC	MX 27C4100
NS	NMC 27C256	AT27C/LV020	(Vpp=13.0V)	MX27C4111*	(Vpp=12.75V)
uPD27256	(Vpp=21.0V)	Atmel	AT 27C/LV020	MXIC	MX 27C4111
NEC	uPD 27256	HT27C020	(Vpp=12.5V)	MX27C8100*	(Vpp=12.75V)
A276308A/8351601	(Vpp=12.75V)	Holtek	HT 27C020	MXIC	MX 27C8100
AMIC	AMIC 276308A/8351601	HT27LC020(Vcc/Vpp=3.3V/12V)		NEC	uPD 27C8000
AT27C512R	(Vpp=13.0V)	Holtek	HT 27LC020	MX27C8111*	(Vpp=12.75V)
Atmel	AT 27C512R	i27C020	(Vpp=12.75V)	MXIC	MX 27C8111
eM27SL512AU	(Vpp=6.5V)	Intel	27C020	M27C160*	(Vpp=12.75V)
emtc	eM 27SL512AU	IS27HC020	(Vpp=12.5V)	SGS	M 27C160
HT27C/LC512	(Vpp=12V)	ISSI	IS 27HC020	Mitsubishi	M5M 27C1602
Holtek	HT 27C/LC512	MX27C2000	(Vpp=12.75V)	MR27V1602D*	(Vpp=9.75V)
HT27C/LC512B*	(Vpp=12V)	MXIC	MX 27C/L2000	OKI	MR 27V1602D
Holtek	HT 27C/LC512B	MX27C2000A	(Vpp=12.75V)	M27C322*	(Vpp=12.75V)
i27C512	(Vpp=12.5V)	MXIC	MX 27C2000A	SGS	M 27C322
Intel	N 27512	M27C2001	(Vpp=12.75V)	MSM27C3252*	(Vpp=12.75V)
IS27HC512	(Vpp=12.5V)	SGS-Thomson	ST 27C2001	MITSUBISHT	M5M 27C3252
ISSI	IS 27HC512	AT27C/LV040	(Vpp=13.0)	MR27V3202D*	(Vpp=9.75V)
MX27C512	(Vpp=12.75V)	Atmel	AT 27C040/LV040	OKI	MR 27V3202D
MXIC	MX 27C512D/P	HT27C040	(Vpp=12.5V)	ACT	ACT 39LV512
MX27L512	(Vpp=12.75V)	Holtek	HT 27C040	AC39LV512	(Vpp=3.3V)
MXIC	MX 27L512D/P	i27C040	(Vpp=12.75V)	AM/I28F256A	(Vpp=12.00V)
NMC27C512	(Vpp=13.0V)	Atmel	AT 27C040	Intel	28F256A
NS	NMC 27C512	MX27C4000	(Vpp=12.75V)	AMD	Am 28F256
AMIC 277308A	(Vpp=12.75V)	MXIC	MX 27C4000D/P	AT29C256	(Vpp=5.0V)
AMIC	AMIC 277308	MX27C4000A	(Vpp=12.75V)	Atmel	AT 29C256
AT27C/LV010	(Vpp=13.0V)	MXIC	MX 27C4000A	I28F256	(Vpp=12.0V)
Atmel	AT 27C/LV010	MBM27C4001	(Vpp=12.5V)	Intel	28F256
CY27H010	(Vpp=12.75V)	FUJITSU	MBM 27C4001 -12/-15	W27F/E/C256/7	(Vpp=12.0V)
Cypress	CY 27H010	M27C4001	(Vpp=12.75V)	Winbond	W 27F/E256/257
HT27C010	(Vpp=12.5V)	SGS-Thomson	ST 27C4001	AT29C257	(Vpp=5.0V)
Holtek	HT 27C010	AT27C080	(Vpp=13.0)	Atmel	AT 29C257
i27C010	(Vpp=12.75V)	Atmel	AT 27C080	AM/I28F512	(Vpp=12.0V)
AMD	Am 27C010D/BX	M27C801	(Vpp=12.75V)	AMD	Am 28F512
NEC	uPD 27C1001	SGS	M 27C801	AMIC A29512	(Vpp=5.0V)
i27C010A	(Vpp=12.0V)	MX27C8000	(Vpp=12.75V)	AMIC	AMIC 29512
AMD	Am 27C010A	MXIC	MX 27C8000	AT29C512	(Vpp=5.0V)
IS27HC010	(Vpp=12.5V)	MX27C516*	(Vpp=12.75V)	Atmel	AT 29C512
ISSI	IS 27C0/HC/LV010	MXIC	MX 27C516	AT49B/LV512	(Vpp=3.3V)
MX27C1000	(Vpp=12.75V)	M27C1002*	(Vpp=12.75V)	Atmel	AT 49B512/LV512
MXIC	MX 27C1000D/P	SGS-Thomson	ST 27C1002/1024	EN29F512	(Vpp=5.0V)
FUJITSU	MBM 27C1001	MX27C1024*	(Vpp=12.75V)	EON	EN 29F512
MX27C1000A	(Vpp=12.75V)	MXIC	MX 27C1024	EN29LV512	(Vpp=3.3V)
MXIC	MX 27C1000A	Intel/...	27C210	EON	EN 29LV512
		MX27C1100*	(Vpp=12.75V)	MX26C512A	(Vpp=12.75V)
		MXIC	MX 27C1100	MXIC	MX 26C512A

Caprillon Enterprise Company

PROM8908D/E EPROM/FLASH device support list (Apr. 18, 2005 V1.56)

PM37LV512	(Vpp=12.0V)	HN28F101	(Vpp=12.0V)	W27L01	(Vpp=12.0V)
PMC	PM 37LV512	HITACHI	HN 28F101	Winbond	W 27L01
PM39LV512R	(Vpp=3.3V)	I28F001BX-B	(Vpp=12.0V)	W27L010	(Vpp=12.0V)
PMC	PM 39LV512R	Intel	I 28F001BX -B	Winbond	W 27L010
SST27SF512	(Vpp=12.0V)	I28F001BX-T	(Vpp=12.0V)	W29EE011	(Vpp=5.0V)
SST	27SF512	Intel	I 28F001BX -T	Winbond	W 29EE011
SST29LE512	(Vpp=3.3V)	ICE28LF010	(Vpp=3.3V)	W29C011A	(Vpp=5.0V)
SST	29LE512	ICE	ICE 28LF010	Winbond	W 29C011A
SST37VF512	(Vpp=12.0V)	IM29F001T	(Vpp=5.0V)	W39F010	(Vpp=5.0V)
SST	37VF512	IMT	IM 29F001T	Winbond	W 39F010
SST39SF512	(Vpp=5.0V)	IS28F010	(Vpp=12.0V)	W39L010	(Vpp=3.3V)
SST	39SF512	ISSI	IS 28F010	Winbond	W 39L010
SST39VF512	(Vpp=3.3V)	M28F101	(Vpp=12.0V)	AC39LV020	(Vpp=3.3V)
SST	39VF512	SGS	M 28F101	ACT	ACT 39LV020
S/F29C5100T	(Vpp=5.0V)	M5M28F101P	(Vpp=12.0V)	AMIC A29002/21T/U	(Vpp=5.0V)
Mosel/SyncMos	S/F29C5100T	MITSUBISHI	M5M 28F101P	AMIC	A 29002/21T/U
W27F/E/C512	(Vpp=12.0V)	MEGA BL1988	(Vpp=5.0V)	AM/I28F020	(Vpp=12.0V)
Winbond	W 27F/E/C512	MEGA FLASH	BL1988	Intel	I 28F020
W29EE512	(Vpp=5.0V)	MX26C1000A	(VPP=12.75V)	AMD	Am 28F020
Winbond	W 29EE512	MXIC	MX 26C1000A	AM28F020A	(Vpp=12.0V)
W39L512	(Vpp=3.3V)	MX26C1000B	(VPP=12.0V)	AMD	Am 28F020A
Winbond	W 39L512	MXIC	MX 26C1000A	AM29F002T/NT	(Vpp=5.0V)
AMIC A29001/010	(Vpp=5.0V)	MX28F1000P	(VPP=12.0V)	AMD	Am 29F002T/NT
AMIC	A 29001U/010	MXIC	MX 28F1000P	AM29F002NB	(Vpp=5.0V)
AC39LV010	(Vpp=3.3V)	MX29F001T	(Vpp=5.0V)	AMD	Am 29F002NB
ACT	ACT 39LV010	MXIC	MX 29F001T	AM29LV002B/T	(Vpp=3.3V)
AM/I28F010	(Vpp=12.0V)	MX29F100T/B	(Vpp=5.0V)	AMD	Am 29LV002B/T
AMD	Am 28F010	MXIC	MX 29F100T/B	AM29F200T/B	(Vpp=5.0V)
AM28F010A	(Vpp=12.0V)	NX29F010	(Vpp=5.0V)	AMD	Am 29F200T/B
AMD	Am 28F010A	Nexflash	NX 29F010	AT29C020	(Vpp=5.0V)
AM29F010	(Vpp=5.0V)	PM39F010	(Vpp=5.0V)	Atmel	AT 29C020
AMD	Am 29F010	PMC	PM 39F010	AT29LV020	(Vpp=3.3V)
AM29F100T/B	(Vpp=5.0V)	PM39LV010/R	(Vpp=3.3V)	Atmel	AT 29LV020
AMD	Am 29F100T/B	PMC	PM 39LV010R	AT49F020	(Vpp=5.0V)
AS29F010/11	(Vpp=5.0V)	PT28C010	(Vpp=12.75V)	Atmel	AT 49F020
AS	AS 29F010/11	PT	PT 28C01	AT49LV020	(Vpp=3.3V)
AT29C010(A)	(Vpp=5.0V)	S/F29C51001T	(Vpp=5.0V)	Atmel	AT 49LV020
Atmel	AT 29C010(A)	Mosel/SyncMos	S/F29C51001T	AT49F002T	(Vpp=5.0V)
AT29LV010A	(Vpp=3.3V)	S/F29C31001T	(Vpp=3.3V)	Atmel	AT 49F002T
Atmel	AT 29LV010A	Mosel/SyncMos	S/F29C31001T	AT49LV002T/NT	(Vpp=3.3V)
AT49F010	(Vpp=5.0V)	SST29EE010	(Vpp=5.0V)	Atmel	AT 49LV002T/NT
Atmel	AT 49F010	SST	29EE010	CAT28F020	(Vpp=12.0V)
AT49F001T	(Vpp=5.0V)	SST29LE010	(Vpp=3.3V)	CATALYST	CAT 28F020
Atmel	AT 49F001T	SST	29LE010	E28F002BC-T	(Vpp=12.0V)
AT49LV001T	(Vpp=3.3V)	SST27SF010	(Vpp=12.0V)	Intel	E 28F002BC-T (TSOP)
Atmel	AT 49LV001T	SST	27SF010	E28F002BC-B	(Vpp=12.0V)
CAT28F010	(Vpp=12.0V)	SST37VF010	(Vpp=12.0V)	Intel	E 28F002BC-B (TSOP)
CATALYST	CAT 28F010	SST	37VF010	E28F002BL-T	(Vpp=12.0V)
CAT28F001B	(Vpp=12.0V)	SST39SF010	(Vpp=5.0V)	Intel	E 28F002BL-T (TSOP)
CATALYST	CAT 28F001B	SST	39SF010	eM29SF020AB	(Vpp=5.0V)
CAT28F001T	(Vpp=12.0V)	SST39VF010	(Vpp=3.3V)	emtc	eM 29SF020AB
CATALYST	CAT 28F001T	SST	39VF010	eM29SF020AT	(Vpp=5.0V)
EN29F001T/NT	(Vpp=5.0V)	TB29F013-T	(Vpp=5.0V)	emtc	eM 29SF020AT
EON	EN 29F001T/NT	TwinMos	TB 29F013-T	eM29SF020A	(Vpp=5.0V)
EN29F010	(Vpp=5.0V)	W27E01	(Vpp=12.0V)	emtc	eM 29SF020A
EON	EN 29F010	Winbond	W 27E01	EN29F002(A)B/NB	(Vpp=5.0V)
EN29LV010	(Vpp=3.3V)	W27F/E/C010	(Vpp=12.0V)	EON	EN 29F002B/NB
EON	EN 29LV010	Winbond	W 27F/E/C010	EN29F002(A)T/NT	(Vpp=5.0V)
				EON	EN 29F002T/NT

Caprillion Enterprise Company

PROM8908D/E EPROM/FLASH device support list (Apr. 18, 2005 V1.56)

EFST F49B002UA (Vpp=5.0V)	SST37VF020 (Vpp=12.0V)	AM29F400T/B (Vpp=5V/12.0V)
EFST F 49B002UA	SST S 37VF020	AMD Am 29F400T/B
HY29F002T (Vpp=5.0V)	SST39SF020 (Vpp=5.0V)	AM29LV/DL400T/B (Vpp=3.3V)
HYUNDAI HY 29F002T	SST S 39SF020	AMD Am 29LV/DL400T/B
IM29F002T (Vpp=5.0V)	SST39VF020 (Vpp=3.3V)	AM29LV004T/B (Vpp=3.3V)
IMT IM 29F002T	SST S 39VF020	AMD Am 29LV004T/B
IS28F020 (Vpp=12.0V)	SST49LF002/A* (Vpp=3.0V)	AT29C040, 29C040A (Vpp=5.0V)
ISSI IS 28F020	SST S 49LF002/A	Atmel AT 29C040, 29C040A
M26C2001 (Vpp=12.75V)	TB29F023-T, -B (Vpp=5.0V)	AT29BV040A (Vpp=3.3V)
SGS M 26C2001	TwinMos TB 29F023-T, -B	Atmel AT 29BV040A
M29F002BT/BB (Vpp=5.0V)	W27E02 (Vpp=12.0V)	AT49F040 (Vpp=5.0V)
SGS M 29F002BT/BB	Winbond W 27E02	Atmel AT 49F040
M29F002T/NT (Vpp=5.0V)	W27E/C020M (Vpp=12.0V)	AT29LV040 (Vpp=3.3V)
SGS M 29F002T/NT	Winbond W 27E020/C020M	Atmel AT 29LV040
M29F002B (Vpp=5.0V)	W27L02 (Vpp=12.0V)	BM29F040 (Vpp=5.0V)
SGS M 29F002B	Winbond W 27L02	BRIGHT BM 29F040
M50FW020* (Vpp=12.0V)	W29/49F002U (Vpp=5.0V)	BM29F400T/B (Vpp=5.0V)
SGS M 50FW020	Winbond W 29/49F002U	BRIGHT BM 29F400T/B
M8720 (Vpp=12.75V)	W29C020/C (Vpp=5.0V)	EN29F040(A) (Vpp=5.0V)
ALI M 8720	Winbond W 29EE021/29C020	EON EN 29F040
MX26C2000B (VPP=12.0V)	W39F020 (Vpp=5.0V)	EN29LV040 (Vpp=3.3V)
MXIC MX 26C2000B	Winbond W 39F020	EON EN 29LV040
MX28F2000P/T (VPP=12.0V)	W39L020 (Vpp=3.3V)	EN29LV400B/T (Vpp=3.3V)
MXIC MX 28F2000P/T	Winbond W 39L020	EON EN 29LV400B/T
MX29F200T/B (Vpp=5.0V)	W49F020 (Vpp=5.0V)	EFST 29L040A (Vpp=3.3V)
MXIC MX 29F200T/B	Winbond W 49F020	EFST 29L040A
MX29F002T/NT (Vpp=5.0V)	W49V002/F* (Vpp=12.0V)	EFST 29L400BB/T (Vpp=3.3V)
MXIC MX 29F002T/NT	Winbond W 49V002/F	EFST 29L400BB/T
MX29F022/N (Vpp=5.0V)	SST49LF003A* (Vpp=3.3V)	HY29F400T/B (Vpp=5.0V)
MXIC MX 29F022/N	SST S 49LF003A	HYUNDAI HY 29F400T/B
P28F002BC-T* (Vpp=12.0V)	A29L004T/U (Vpp=3.3V)	HY29LV400T/B (Vpp=3.3V)
Intel P 28F002BC-T (DIP)	AMIC A 29L004T/U	HYUNDAI HY 29LV400T/B
PM29F002T/B (Vpp=5.0V)	A29040 (Vpp=5.0V)	I28F004BX-T, -B (Vpp=12.0V)
PMC PM 29F002T/B	AMIC A 29040	Intel I 28F004BX-T, -B
PM29LV002T (Vpp=3.3V)	A29L040 (Vpp=3.3V)	Micron MT 28F004B1-T, -B
PMC PM 29LV002T	AMIC A 29L040	I28F004SA (Vpp=12.0V)
PM39F020 (Vpp=5.0V)	A29400T/B (Vpp=5.0V)	Intel I 28F004SA
PMC PM 39F020	AMIC A 29400T/B	I82802AB* (Vpp=12V)
PM39LV020 (Vpp=3.3V)	A29L400T/U (Vpp=3.3V)	Intel 82802AB
PMC PM 39LV020	AMIC A 29L400T/U	LH28F004SUT (Vpp=5.0V)
PM49FL002T* (Vpp=3.6V)	A49LF004* (Vpp=3.3V)	SHARP LH 28F004SUT
PMC PM 49FL002T	AMIC A 29L400T/U	LH28F400SUT (Vpp=5.0V)
PM49LP002T* (Vpp=3.0V)	A49LF040* (Vpp=3.3V)	SHARP LH 28F400SUT
PMC PM 49LP002T	AMIC A 29LF040	LH28F400SUH (Vpp=5.0V)
PT28C020 (Vpp=12.75V)	A50FW040* (Vpp=12.0V)	SHARP LH 28F400SUH
PT PT 28C020	AMIC A 50FW040/AT49LH004	M50FW040* (Vpp=12.0V)
LG29C020	A50LPW040* (Vpp=3.3V)	SGS M 50FW040
LG LG 29C020	AMIC A 50LPW040	M29W040 (Vpp=3.3V)
S/F29C51002T (Vpp=5.0V)	AC29LV400B/T (Vpp=3.3V)	SGS M 29W040
Mosel/SyncMos S/F29C51002T	ACT AC 29LV400B/T	MX26C4000 (Vpp=5.0V)
V/F29C31002T (Vpp=3.3V)	AC39LV040 (Vpp=3.3V)	MXIC MX 26C4000
Mosel/SyncMos S/F29C31002T	ACT ACT 39LV040	MX26C4000B (Vpp=12.0V)
SST29EE020 (Vpp=5.0V)	AM29F040-old (Vpp=5V)	MXIC MX 26C4000B
SST S 29EE020	AMD Am 29F040(93)	MX26LV004T/B (Vpp=3.3V)
SST27SF020 (Vpp=12.0V)	AM29F040 (Vpp=5V)	MXIC MX 26C004T/B
SST S 27SF020	AMD Am 29F040(94 UP)	MX26LV040 (Vpp=3.3V)
SST27VF020 (Vpp=11.7V)	AM29LV040B (Vpp=3.3V)	MXIC MX 26LV040
SST S 27SF020	AMD Am 29LV040B	MX26LV400B/T (Vpp=3.3V)
		MXIC MX 26LV400B/T

Caprillion Enterprise Company

PROM8908D/E EPROM/FLASH device support list (Apr. 18, 2005 V1.56)

MX28F4000	(VPP=12.0V)	W27E040	(Vpp=12.0V)	MX29LV008T/B	(Vpp=3.3V)
MXIC	MX 28F4000	Winbond	W 27E040	MXIC	MX 29LV008T/B
MX29F004T	(Vpp=5.0V)	W29C040	(Vpp=5.0V)	MX29F800T/B	(Vpp=5.0V)
MXIC	MX 29F004T	Winbond	W 29C04	MXIC	MX 29F800T/B
MX29LV004	(Vpp=3.3V)	W39L040(A)	(Vpp=3.3V)	MX29LV800T/B	(Vpp=3.3V)
MXIC	MX 29LV004	Winbond	W 39L040(A)	MXIC	MX 29LV800
MX29F040	(Vpp=5.0V)	W39V040A/FA*	(Vpp=3.3V)	MX29F8100	(VPP=5.0V)
MXIC	MX 29F040	Winbond	W 39V040A/FA	MXIC	MX 29F8100
MX29LV040	(Vpp=3.3V)	A29008PT/U *	(Vpp=5.0V)	PT29L800U/T	(Vpp=3.3V)
MXIC	MX 29LV040	AMIC	A 29L008T/U	PT	PT 29L800U/T
MX29F400T/B	(Vpp=5.0V)	A29L008PT/U *	(Vpp=3.3V)	SST39VF080	(Vpp=3.3V)
MXIC	MX 29F400T /B	AMIC	A 29L008T/U	SST	S 39VF080
MX29LV400T/B	(Vpp=3.3V)	A29800U/T	(Vpp=5.0V)	SST49LF008A *	(Vpp=3.3V)
MXIC	MX 29LV400T /B	AMIC	A 29800U/T	SST	S 49LF008A
MX29F4000	(Vpp=5.0V)	A29L800T/U	(Vpp=3.3V)	TI28F800ALT	(Vpp=12.0V)
MXIC	MX 29F4000 (EPROM pin)	AMIC	A 29L800T/U	TI	TMS 28F800ALT
PM29F004T/B	(Vpp=5.0V)	AC39LV080	(Vpp=3.3V)	TI28F800ALB	(Vpp=12.0V)
PMC	PM 29F004T	ACT	ACT 39LV080	TI	TMS 28F800ALB
PM29LV104RT/B	(Vpp=3.3V)	AC39LV088	(Vpp=3.3V)	UTI29LV081A	(Vpp=3.3V)
PMC	PM 29LV104RT/B	ACT	ACT 39LV088	UTI	UTI 29LV081A
PMC	PM 29LV004T	AM29F800T/B	(Vpp=5.0V)	UTI29LV800(A/B)T	(Vpp=3.3V)
PM39F040	(Vpp=5.0V)	AMD	Am 29F800T/B	UTI	UTI 29LV800(A/B)T
PMC	PM 39F040	AM29LV/DL800T/B	(Vpp=3.3V)	W39V080A/FA*	(Vpp=3.3V)
PM39LV040	(Vpp=3.3V)	AMD	Am 29LV/DL800T/B	Winbond	W 39V080A/FA
PMC	PM 39LV040	AM29LV008T/B	(Vpp=3.3V)	A29L160U/T	(Vpp=3.3V)
PM49FL004T*	(Vpp=3.6V)	AMD	Am 29LV008T/B	AMIC	A 29L160U/T
PMC	PM 49FL004T	AM29F080	(Vpp=5.0V)	AM29F016	(Vpp=5.0V)
PT28C040	(Vpp=12.75V)	AMD	Am 29F080	AMD	Am 29F016
PT	PT 28C040	EN29F080	(Vpp=5.0V)	AM29LV016	(Vpp=3.3V)
PT29C040	(Vpp=5.0V)	EON	EN 29F080	AMD	Am 29LV016
PT	PT 29C040	EN29F800T/B	(Vpp=5.0V)	AM29LV160T/B	(Vpp=3.3V)
S/F29C51004T	(Vpp=5.0V)	EON	EN 29F800T/B	AMD	Am 29LV160T/B
Mosel/SyncMos	S29C/F29C51004T	EN29LV800(A)B/T	(Vpp=3.3V)	AT29F1614(T)	(Vpp=12.0V)
S/F29C31004T	(Vpp=3.3V)	EON	EN 29LV800(A)B/T	Atmel	Atmel 29F1614(T)
Mosel/SyncMos	S29C/F29C31004T	I28F008SA	(Vpp=12.0V)	I28F016SA	(Vpp=12.0V)
SST28SF040	(Vpp=5.0V)	Intel	E 28F008SA	Intel	E 28F016SA
SST	28SF040	I28F008S3	(Vpp=12.0V, Vcc=3.3V)	LH28F016SUT	(Vpp=5.0V)
SST28LF040	(Vpp=3.3V)	Intel	E 28F008S3	SHARP	LH 28F016SUT
SST	28LF040	I28F008BV-T	(Vpp=12.0V)	LH28F160S3TD	(Vpp=5.0V)
SST37VF040	(Vpp=12.0V)	Intel	E 28F008BV-T	SHARP	LH 28F160S3TD
SST	37VF040	I28F008BX-B	(Vpp=12.0V)	LH28F160B-T	(Vpp=12.0V)
SST39SF040	(Vpp=5.0V)	Intel	E 28F008BX-B	SHARP	LH 28F160B-T
SST	39SF040	I82802AC*	(Vpp=12V)	MX26LV160B/T	(VPP=3.3V)
SST39VF040	(Vpp=3.3V)	Intel	82802AC	MXIC	MX 26LV160B/T
SST	39VF040	LH28F008BVT	(Vpp=12.0V)	MX29F016	(Vpp=5.0V)
S49LF004/040*	(Vpp=3.3V)	SHARP	LH 28F008BVT	MXIC	MX 29F016
SST	49LF004/040	LH28F800SUT	(Vpp=5.0V)	MX29F1610/1	(VPP=5.0V)
TB29F043-T	(Vpp=5.0V)	SHARP	LH 28F800SUT	MXIC	MX 29F1610/1611
TwinMos	TB 29F043-T	M29W800xB/T	(Vpp=3.3V)	MX29F1610A/B	(VPP=5.0V)
TI28F400AFT	(Vpp=12.0V)	SGS	M 29W800xB/T	MXIC	MX 29F1610A/1610B
TI	TMS 28F400AFT	M50FW080*	(Vpp=12.0V)	MX29L1611	(VPP=3.3V)
TI28F400AFB	(Vpp=12.0V)	SGS	M 50FW080	MXIC	MX 29L1611
TI	TMS 28F400AFB	MX26LV008T/B	(Vpp=3.3V)	MX29LV160B/T	(VPP=3.3V)
TL27E040	(Vpp=12.75V)	MXIC	MX 26LV008T/B	MXIC	MX 29LV160B/T
TL	27E040	MX26LV800B/T	(Vpp=3.3V)	SST39VF016	(Vpp=3.3V)
UTI29LV040(A)T	(Vpp=3.3V)	MXIC	MX 26LV800B/T	SST	S 39VF016
UTI	UTI 29LV040(A)T	MX29F080	(Vpp=5.0V)	UTI29LV160(A/B)T	(Vpp=3.3V)
UTI29LV400(A)T	(Vpp=3.3V)	MXIC	MX 29F080	UTI	UTI 29LV160(A/B)T
UTI	UTI 29LV400(A)T				

Caprillion Enterprise Company

PROM8908D/E EPROM/FLASH device support list (Apr. 18, 2005 V1.56)

UTI29LV017B	(Vpp=3.3V)
UTI	UTI 29LV017B
AM29F032	(Vpp=5.0V)
AMD	Am 29F032
AM29DL320B/T	(Vpp=3.3V)
AMD	Am 29DL320B/T
LH28F032SUT	(Vpp=5.0V)
SHARP	LH 28F032SUT
Intel	I 28F032SUT
LH28F320S3TD	(Vpp=5.0V)
SHARP	LH 28F320S3TD
Intel	I 28F320S3TD
MX29L3211	(Vpp=3.3V)
MXIC	MX 29L3211
MX29LV033(A)	(Vpp=3.3V)
MXIC	MX 29LV033(A)
MX29LV320(A)B/T	(Vpp=3.3V)
MXIC	MX 29LV320(A)B/T
USI29F325B	(Vpp=3.3V)
USI	29F325B
UTI29LV320BT	(Vpp=3.3V)
UTI	UTI 29LV320BT
W19L/B320SB/ST	(Vpp=3.3V)
Winbond	W 19L/B320SB/ST
MBM29DL640E	(Vpp=3.3V)
FUJITSH	MBM 29DL640E
TC58FVB641	(Vpp=3.3V)
TOSHIBA	TC 58FVB641

*: need a pin-adaptor

(48): operates on 48pin textool

_ : not supported in PROM9800 model