

PROM9801/00 EPROM/FLASH device support list (Jul. 18, 2005 V1.56)

i2764,27128	(Vpp=21.0V)	TOSHIBA	TC 57C1001	Intel/...	27C220
Intel	N 2764,27128	FUJITSU	MBM 27C1000	SGS	M 27C202
i2764A,128A	(Vpp=12.5V)	M27C1001	(Vpp=12.75V)	<u>MX27C2100*</u>	(Vpp=12.75V) (48)
Intel	P 2764A,27128A	SGS-Thomson	ST 27C1001	MXIC	MX 27C2100
AT27C256R	(Vpp=13.0V)	uPD27C1000	(Vpp=12.5V)	<u>M27C4002</u>	(Vpp=12.75V) (48)
Atmel	AT 27C/HC256	(Mask ROM Pinout)		SGS-Thomson	ST 27C4002
CY27C256	(Vpp=12.5V)	Intel	27C1000	<u>MX27C4096</u>	(Vpp=12.75V) (48)
Cypres	CY 27C256	Hitachi	HN 27C301G/P	Intel/...	27C240
i27256	(Vpp=12.5V)	Mitsubishi	M5M 27C100K	SGS	M 27C4002
Intel	P 27256	A27020/8308A	(Vpp=12.75V)	<u>MX27C4100*</u>	(Vpp=12.75V) (48)
IS27HC256	(Vpp=12.5V)	AMIC	278308A/27020	MXIC	MX 27C4100
ISSI	IS 27HC256	AT27C/LV020	(Vpp=13.0V)	<u>MX27C4111*</u>	(Vpp=12.75V) (48)
MX27C256	(Vpp=12.75V)	Atmel	AT 27C/LV020	MXIC	MX 27C4111
Intel	N 27C256	HT27C020	(Vpp=12.5V)	<u>MX27C8100*</u>	(Vpp=12.75V) (48)
NMC27C256	(Vpp=13.0V)	Holtek	HT 27C020	MXIC	MX 27C8100
NS	NMC 27C256	HT27LC020(Vcc/Vpp=3.3V/12.75V)		NEC	uPD 27C8000
A276308A/8351601	(Vpp=12.75V)	Holtek	HT 27LC020	<u>MX27C8111*</u>	(Vpp=12.75V) (48)
AMIC	AMIC 276308A/8351601	i27C020	(Vpp=12.75V)	MXIC	MX 27C8111
AT27C512R	(Vpp=13.0V)	Intel	27C020	<u>M27C160*</u>	(Vpp=12.75V) (48)
Atmel	AT 27C512R	IS27HC020	(Vpp=12.75V)	SGS	M 27C160
eM27SL512AU	(Vpp=6.5V)	ISSI	IS 27HC020	Mitsubishi	M5M 27C1602
emtc	eM 27SL512AU	MX27C2000	(Vpp=12.75V)	<u>MR27V1602D*</u>	(Vpp=9.75V) (48)
HT27C/LC512	(Vpp=12V)	MXIC	MX 27C/L2000	OKI	MR 27V1602D
Holtek	HT 27C/LC512	MX27C2000A	(Vpp=12.75V)	<u>M27C322*</u>	(Vpp=12.75V) (48)
HT27C/LC512B*	(Vpp=12V)	MXIC	MX 27C2000A	SGS	M 27C322
Holtek	HT 27C/LC 512B	M27C2001	(Vpp=12.75V)	<u>MSM27C3252*</u>	(Vpp=12.75V) (48)
i27C512	(Vpp=12.5V)	SGS-Thomson	ST 27C2001	MITSUBISHT	M5M 27C3252
Intel	N 27512	AT27C/LV040	(Vpp=13.0)	<u>MR27V3202D*</u>	(Vpp=9.75V) (48)
IS27HC512	(Vpp=12.5V)	Atmel	AT 27C040/LV040	OKI	MR 27V3202D
ISSI	IS 27HC512	HT27C040	(Vpp=12.5V)	<u>AT49F1024</u>	(Vpp=5V) (48)
MX27C512	(Vpp=12.75V)	Holtek	HT 27C040	Atmel	AT49F1024
MXIC	MX 27C512D/P	i27C040	(Vpp=12.75V)	<u>MX26C1024A</u>	(Vpp=12V) (48)
MX27L512	(Vpp=12.75V)	Atmel	AT 27C040	MXIC	MX 26C1024A
MXIC	MX 27L512D/P	MX27C4000	(Vpp=12.75V)	<u>W29C101</u>	(Vpp=5V) (48)
NMC27C512	(Vpp=13.0V)	MXIC	MX 27C4000D/P	Winbond	W 29C101
NS	NMC 27C512	MX27C4000A	(Vpp=12.75V)	<u>W29C102</u>	(Vpp=5V) (48)
AMIC 277308A	(Vpp=12.75V)	MXIC	MX 27C4000A	Winbond	W 29C102
AMIC	AMIC 277308	MBM27C4001	(Vpp=12.5V)	<u>AT49F4096(A)</u>	(Vpp=5V) (48)
AT27C/LV010	(Vpp=13.0V)	FUJITSU	MBM 27C4001 -12/-15	Atmel	AT 49F4096/4096A
Atmel	AT 27C/LV010	M27C4001	(Vpp=12.75V)	<u>W27E4096</u>	(Vpp=12.75V) (48)
CY27H010	(Vpp=12.75V)	SGS-Thomson	ST 27C4001	Winbond	W 27E4096
Cypress	CY 27H010	AT27C080	(Vpp=13.0)	<u>AT49F8192(A)</u>	(Vpp=5V) (48)
HT27C010	(Vpp=12.5V)	Atmel	AT 27C080	Atmel	AT 49F8192/8192A
Holtek	HT 27C010	M27C801	(Vpp=12.75V)	<u>MX29L1611G*</u>	(Vpp/Vcc=10V/3V) (48)
i27C010	(Vpp=12.75V)	SGS	M 27C801	MXIC	MX 29L1611
AMD	Am 27C010D/BX	MX27C8000	(Vpp=12.75V)	<u>MX29F1615*</u>	(Vpp=10V) (48)
NEC	uPD 27C1001	MXIC	MX 27C8000	MXIC	MX 29F1615
i27C010A	(Vpp=12.0V)	<u>MX27C516</u>	(Vpp=12.75V) (48)	AC39LV512	(Vpp=3.3V)
AMD	Am 27C010A	MXIC	MX 27C516	Act	ACT 39LV512
IS27HC010	(Vpp=12.5V)	<u>M27C1002/1024</u>	(Vpp=12.75V) (48)	AM/I28F256A	(Vpp=12.00V)
ISSI	IS 27C0/HC/LV010	SGS-Thomson	ST 27C1002/1024	Intel	28F256A
MX27C1000	(Vpp=12.75V)	<u>MX27C1024</u>	(Vpp=12.75V) (48)	AMD	Am 28F256
MXIC	MX 27C1000D/P	MXIC	MX 27C1024	AT29C256	(Vpp=5.0V)
FUJITSU	MBM 27C1001	Intel/...	27C210	Atmel	AT 29C256
MX27C1000A	(Vpp=12.75V)	<u>MX27C1100*</u>	(Vpp=12.75V) (48)	I28F256	(Vpp=12.0V)
MXIC	MX 27C1000A	MXIC	MX 27C1100	Intel	28F256
MX27C1001	(Vpp=12.75V)	<u>M27C2002</u>	(Vpp=12.75V) (48)	W27F/E/C256/7	(Vpp=12.0V)
(Mask ROM Pinout)		SGS-Thomson	ST 27C2002	Winbond	W 27F/E256/257
MXIC	MX 27C1001D	<u>MX27C2048</u>	(Vpp=12.75V) (48)	AT29C257	(Vpp=5.0V)
SGS	M 27C1000	MXIC	MX 27C2048	Atmel	AT 29C257

PROM9801/00 EPROM/FLASH device support list (Jul. 18, 2005 V1.56)

AM/I28F512	(Vpp=12.0V)	CAT28F010	(Vpp=12.0V)	SST39SF010	(Vpp=5.0V)
AMD	Am 28F512	CATALYST	CAT 28F010	SST	39SF010
AMIC A29512	(Vpp=5.0V)	CAT28F001B	(Vpp=12.0V)	SST39VF010	(Vpp=3.3V)
AMIC	AMIC 29512	CATALYST	CAT 28F001B	SST	39VF010
AT29C512	(Vpp=5.0V)	CAT28F001T	(Vpp=12.0V)	TB29F013-T	(Vpp=5.0V)
Atmel	AT 29C512	CATALYST	CAT 28F001T	TwinMos	TB 29F013 -T
AT49B/LV512	(Vpp=3.3V)	EN29F001T/NT	(Vpp=5.0V)	W27E01	(Vpp=12.0V)
Atmel	AT 49B512/LV512	EON	EN 29F001T/NT	Winbond	W 27E01
EN29F512	(Vpp=5.0V)	EN29F010	(Vpp=5.0V)	W27F/E/C010	(Vpp=12.0V)
EON	EN 29F512	EON	EN 29F010	Winbond	W 27F/E/C010
EN29LV512	(Vpp=3.3V)	EN29LV010	(Vpp=3.3V)	W27L01	(Vpp=12.0V)
EON	EN 29LV512	EON	EN 29LV010	Winbond	W 27L01
MX26C512A	(Vpp=12.75V)	HN28F101	(Vpp=12.0V)	W27L010	(Vpp=12.0V)
MXIC	MX 26C512A	HITACHI	HN 28F101	Winbond	W 27L010
PM37LV512	(Vpp=12.0V)	I28F001BX-B	(Vpp=12.0V)	W29EE011	(Vpp=5.0V)
PMC	PM 37LV512	Intel	I 28F001BX -B	Winbond	W 29EE011
PM39LV512R	(Vpp=3.3V)	I28F001BX-T	(Vpp=12.0V)	W29C011A	(Vpp=5.0V)
PMC	PM 39LV512R	Intel	I 28F001BX -T	Winbond	W 29C011A
SST27SF512	(Vpp=12.0V)	ICE28LF010	(Vpp=3.3V)	W39F010	(Vpp=5.0V)
SST	27SF512	ICE	ICE 28LF010	Winbond	W 39F010
SST29LE512	(Vpp=3.3V)	IM29F001T	(Vpp=5.0V)	W39L010	(Vpp=3.3V)
SST	29LE512	IMT	IM 29F001T	Winbond	W 39L010
SST37VF512	(Vpp=12.0V)	IS28F010	(Vpp=12.0V)	AC39LV020	(Vpp=3.3V)
SST	37VF512	ISSI	IS 28F010	Act	ACT 39LV020
SST39SF512	(Vpp=5.0V)	M28F101	(Vpp=12.0V)	AMIC A29002/21T/U	(Vpp=5.0V)
SST	39SF512	SGS	M 28F101	AMIC	A 29002/21T/U
SST39VF512	(Vpp=3.3V)	M5M28F101P	(Vpp=12.0V)	AM/I28F020	(Vpp=12.0V)
SST	39VF512	MITSUBISHI	M5M 28F101P	Intel	I 28F020
S/F29C5100T	(Vpp=5.0V)	MEGA BL1988	(Vpp=5.0V)	AMD	Am 28F020
Mosel/SyncMos	S/F29C5100T	MEGA FLASH	BL1988	AM28F020A	(Vpp=12.0V)
W27F/E/C512	(Vpp=12.0V)	MX26C1000A	(VPP=12.75V)	AMD	Am 28F020A
Winbond	W 27F/E/C512	MXIC	MX 26C1000A	AM29F02T/NT	(Vpp=5.0V)
W29EE512	(Vpp=5.0V)	MX26C1000B	(VPP=12.0V)	AMD	Am 29F002T/NT
Winbond	W 29EE512	MXIC	MX 26C1000A	AM29F002NB	(Vpp=5.0V)
W39L512	(Vpp=3.3V)	MX28F1000P	(VPP=12.0V)	AMD	Am 29F002NB
Winbond	W 39L512	MXIC	MX 28F1000P	AM29LV002B/T	(Vpp=3.3V)
AC39LV010	(Vpp=3.3V)	MX29F001T	(Vpp=5.0V)	AMD	Am 29LV002B/T
Act	ACT 39LV010	MXIC	MX 29F001T	AM29F200T/B	(Vpp=5.0V)
AMIC A29001/010	(Vpp=5.0V)	MX29F100T/B	(Vpp=5.0V)	AMD	Am 29F200T/B
AMIC	A 29001U/010	MXIC	MX 29F100T/B	AT29C020	(Vpp=5.0V)
AM/I28F010	(Vpp=12.0V)	NX29F010	(Vpp=5.0V)	Atmel	AT 29C020
AMD	Am 28F010	Nexflash	NX 29F010	AT29LV020	(Vpp=3.3V)
AM28F010A	(Vpp=12.0V)	PM39F010	(Vpp=5.0V)	Atmel	AT 29LV020
AMD	Am 28F010A	PMC	PM 39F010	AT49F020	(Vpp=5.0V)
AM29F010	(Vpp=5.0V/12.0V)	PM39LV010R	(Vpp=3.3V)	Atmel	AT 49F020
AMD	Am 29F010	PMC	PM 39LV010R	AT49LV020	(Vpp=3.3V)
AM29F100T/B	(Vpp=5.0V)	PT28C010	(Vpp=12.75V)	Atmel	AT 49LV020
AMD	Am 29F100T/B	PT	PT 28C01	AT49F002T	(Vpp=5.0V)
AT29C010A	(Vpp=5.0V)	S/F29C51001T	(Vpp=5.0V)	Atmel	AT 49F002T
Atmel	AT 29C010A	Mosel/SyncMos	S29C/F29C51001T	AT49LV002T	(Vpp=3.3V)
AT29LV010A	(Vpp=3.3V)	SST29EE010	(Vpp=5.0V)	Atmel	AT 49LV002T
Atmel	AT 29LV010A	SST	29EE010	CAT28F020	(Vpp=12.0V)
AT49F010	(Vpp=5.0V)	SST29LE010	(Vpp=5.0V)	CATALYST	CAT 28F020
Atmel	AT 49F010	SST	29LE010	E28F002BC-T	(Vpp=12.0V)
AT49F001T	(Vpp=5.0V)	SST27SF010	(Vpp=12.0V)	Intel	E 28F002BC -T (TSOP)
Atmel	AT 49F001T	SST	27SF010	E28F002BC-B	(Vpp=12.0V)
AT49LV001T	(Vpp=3.3V)	SST37VF010	(Vpp=12.0V)	Intel	E 28F002BC -B (TSOP)
Atmel	AT 49LV001T	SST	37VF010	E28F002BL-T	(Vpp=12.0V)
				Intel	E 28F002BL -T (TSOP)

PROM9801/00 EPROM/FLASH device support list (Jul. 18, 2005 V1.56)

eM29SF002AB	(Vpp=5.0V)	S/F29C31002T	(Vpp=3.3V)	AC39LV040	(Vpp=3.3V)
emtc	eM 29SF002AB	Mosel/SyncMos	V29C/F29C31002T	Act	ACT 39LV040
eM29SF002AT	(Vpp=5.0V)	S/F29C51002T	(Vpp=5.0V)	AM29F040-old	(Vpp=5V/12V)
emtc	eM 29SF002AT	Mosel/SyncMos	V29C/F29C51002T	AMD	Am 29F040(93)
eM29SF020A	(Vpp=5.0V)	SST29EE020	(Vpp=5.0V)	AM29F040	(Vpp=5V/12V)
emtc	eM 29SF020A	SST	S 29EE020	AMD	Am 29F040(94 UP)
EN29F002(A)B/NB	(Vpp=5.0V)	SST27SF020	(Vpp=12.0V)	AM29LV040B	(Vpp=3.3V)
EON	EN 29F002B/NB	SST	S 27SF020	AMD	Am 29LV040B
EN29F002(A)T/NT	(Vpp=5.0V)	SST37VF020	(Vpp=12.0V)	AM29F400T/B	(Vpp=5V/12.0V)
EON	EN 29F002T/NT	SST	S 37VF020	AMD	Am 29F400T/B
EFST F49B002UA	(Vpp=5.0V)	SST39SF020	(Vpp=5.0V)	AM29LV/DL400T/B	(Vpp=3.3V)
EFST	F 49B002UA	SST	S 39SF020	AMD	Am 29LV/DL400T/B
HY29F002T	(Vpp=5.0V)	SST39VF020	(Vpp=3.3V)	AM29LV004T/B	(Vpp=3.3V)
HYUNDAI	HY 29F002T	SST	S 39VF020	AMD	Am 29LV004T/B
IM29F002T	(Vpp=5.0V)	SST49LF002/A*	(Vpp=3.0V)	AT29C040, 29C040A	(Vpp=5.0V)
IMT	IM 29F002T	SST	S 49LF00 2/A	Atmel	AT 29C040, 29C040A
IS28F020	(Vpp=12.0V)	TB29F023-T, -B	(Vpp=5.0V)	AT29BV040A	(Vpp=3.3V)
ISSI	IS 28F020	TwinMos	TB 29F023 -T, -B	Atmel	AT 29BV040A
M26C2001	(Vpp=12.75V)	W27E02	(Vpp=12.0V)	AT49F040	(Vpp=5.0V)
SGS	M 26C2001	Winbond	W 27E02	Atmel	AT 49F040
M29F002BT/BB	(Vpp=5.0V)	W27E/C020M	(Vpp=12.0V)	AT29LV040	(Vpp=3.3V)
SGS	M 29F002BT/ BB	Winbond	W 27E020/C020M	Atmel	AT 29LV040
M29F002T/NT	(Vpp=5.0V)	W27L02	(Vpp=12.0V)	BM29F040	(Vpp=5.0V)
SGS	M 29F002T/NT	Winbond	W 27L02	BRIGHT	BM 29F040
M29F002B	(Vpp=5.0V)	W29/49F002U	(Vpp=5.0V)	BM29F400T/B	(Vpp=5.0V)
SGS	M 29F002B	Winbond	W 29/49F002U	BRIGHT	BM 29F400T/B
M50FW020*	(Vpp=12.0V)	W29C020/C	(Vpp=5.0V)	EN29F040(A)	(Vpp=5.0V)
SGS	M 50FW020	Winbond	W 29EE021/29C020	EON	EN 29F040
M8720	(Vpp=12.75V)	W39F020	(Vpp=5.0V)	EN29LV040	(Vpp=3.3V)
ALI	M 8720	Winbond	W 39F020	EON	EN 29LV040
MX26C2000B	(VPP=12.0V)	W39L020	(Vpp=3.3V)	EN29LV400B/T	(Vpp=3.3V)
MXIC	MX 26C2000B	Winbond	W 39L020	EON	EN 29LV400B/T
MX28F2000P/T	(VPP=12.0V)	W49F020	(Vpp=5.0V)	EFST 29L040A	(Vpp=3.3V)
MXIC	MX 28F2000P/T	Winbond	W 49F020	EFST	29L040A
MX29F200T/B	(Vpp=5.0V)	W49V002/F*	(Vpp=12.0V)	EFST 29L400BB/T	(Vpp=3.3V)
MXIC	MX 29F200T/B	Winbond	W 49V002/F	EFST	29L400BB/T
MX29F002T/NT	(Vpp=5.0V)	SST49LF003A*	(Vpp=3.3V)	HY29F400T/B	(Vpp=5.0V)
MXIC	MX 29F002T/NT	SST	S 49LF003A	HYUNDAI	HY 29F400T/B
MX29F022/N	(Vpp=5.0V)	A29L004T/U	(Vpp=3.3V)	HY29LV400T/B	(Vpp=3.3V)
MXIC	MX 29F022/N	AMIC	A 29L004T/U	HYUNDAI	HY 29LV400T/B
P28F002BC-T*	(Vpp=12.0V)	A29040	(Vpp=5.0V)	I28F004BX-T, -B	(Vpp=12.0V)
Intel	P 28F002BC -T (DIP)	AMIC	A 29040	Intel	I 28F004BX-T, -B
PM29F002T	(Vpp=5.0V)	A29L040	(Vpp=3.3V)	Micron	MT 28F004B1 -T, -B
PMC	PM 29F002T	AMIC	A 29L040	I28F004SA	(Vpp=12.0V)
PM29LV002T	(Vpp=3.3V)	AMIC A29400T/B	(Vpp=5.0V)	Intel	I 28F004SA
PMC	PM 29LV002T	AMIC	A 29400T/B	I82802AB*	(Vpp=12V)
PM39F020	(Vpp=5.0V)	A29L400T/U	(Vpp=3.3V)	Intel	82802AB
PMC	PM 39F0 20	AMIC	A 29L400T/U	LH28F004SUT	(Vpp=5.0V)
PM39LV020	(Vpp=5.0V)	A49LF004*	(Vpp=3.3V)	SHARP	LH 28F004SUT
PMC	PM 39LV020	AMIC	A 29L 400T/U	LH28F400SUT	(Vpp=5.0V)
PM49FL002T*	(Vpp=3.6V)	A49LF040*	(Vpp=3.3V)	SHARP	LH 28F400SUT
PMC	PM 49FL002T	AMIC	A 29LF040	LH28F400SUH	(Vpp=5.0V)
PM49LP002T*	(Vpp=3.0V)	A50FW040*	(Vpp=12.0V)	SHARP	LH 28F400SUH
PMC	PM 49LP002T	AMIC	A 50FW040	M50W040*	(Vpp=12.0V)
PT28/29C020	(Vpp=12.75V)	A50LPW040*	(Vpp=3.3V)	SGS	M 50W040
PT	PT 28/29C020	AMIC	A 50LPW040	M29W040	(Vpp=3.3V)
LG29C020		AC29LV400B/T	(Vpp=3.3V)	SGS	M 29W040
LG	LG 29C020	ACT	AC 29LV400B/T	MX26C4000	(Vpp=5.0V)
				MXIC	MX 26C4000

PROM9801/00 EPROM/FLASH device support list (Jul. 18, 2005 V1.56)

MX26C4000B	(Vpp=12.0V)	TI28F400AFB	(Vpp=12.0V)	M50W080*	(Vpp=12.0V)
MXIC	MX 26C4000B	TI	TMS 28F400AFB	SGS	M 50W080
MX28F4000	(VPP=12.0V)	TL27E040	(Vpp=12.75V)	MX26LV008T/B	(Vpp=3.3V)
MXIC	MX 28F4000	TL	27E040	MXIC	MX 26LV008T/B
MX26LV004T/B	(Vpp=3.3V)	UTI29LV040A	(Vpp=3.3V)	MX26LV800B/T	(Vpp=3.3V)
MXIC	MX 26LV004T/B	UTI	UTI 29LV040A	MXIC	MX 29LV800B/T
MX26LV040	(Vpp=3.3V)	UTI29LV400AT	(Vpp=3.3V)	MX29F080	(Vpp=5.0V)
MXIC	MX 26LV040	UTI	UTI 29LV400AT	MXIC	MX 29F080
MX26LV400B/T	(Vpp=3.3V)	W27E040	(Vpp=12.0V)	MX29LV008	(Vpp=3.3V)
MXIC	MX 26LV400B/T	Winbond	W 27E040	MXIC	MX 29LV008
MX29F004T	(Vpp=5.0V)	W29C040	(Vpp=5.0V)	MX29F800T/B	(Vpp=5.0V)
MXIC	MX 29F004T	Winbond	W 29C04	MXIC	MX 29F800T/B
MX29LV004	(Vpp=3.3V)	W39L040	(Vpp=3.3V)	MX29LV800B/T	(Vpp=3.3V)
MXIC	MX 29LV004	Winbond	W 39L040	MXIC	MX 29LV800B/T
MX29F040	(Vpp=5.0V)	W39V040FA*	(Vpp=3.3V)	MX29F8100	(VPP=5.0V)
MXIC	MX 29F040	Winbond	W 39V040FA	MXIC	MX 29F8100
MX29LV040	(Vpp=3.3V)	A29008PT/U	(Vpp=5.0V)	PT29L800U/T	(Vpp=3.3V)
MXIC	MX 29LV040	AMIC	A 29L008T/U	PT	PT 29L800U/T
MX29F400T/B	(Vpp=5.0V)	A29L008PT/U	(Vpp=3.3V)	SST39VF080	(Vpp=3.3V)
MXIC	MX 29F400T /B	AMIC	A 29L008T/U	SST	S 39VF080
MX29LV400T/B	(Vpp=3.3V)	AMIC A29800U/T	(Vpp=5.0V)	SST49LF008*	(Vpp=3.3V)
MXIC	MX 29LV400T /B	AMIC	A 29800U/T	SST	S 49LF008
MX29F4000	(Vpp=5.0V)	A29V800T/U	(Vpp=3.3V)	TI28F800ALT	(Vpp=12.0V)
MXIC	MX 29F4000 (EPROM pin)	AMIC	A 29V800T/U	TI	TMS 28F800ALT
PM29F004T	(Vpp=5.0V)	AC39LV080	(Vpp=3.3V)	TI28F800ALB	(Vpp=12.0V)
PMC	PM 29F004T	Act	ACT 39LV080	TI	TMS 28F800ALB
PM29LV104RT/B	(Vpp=3.3V)	AC39LV088	(Vpp=3.3V)	UTI29LV081A	(Vpp=3.3V)
PMC	PM 29LV104RT/B	Act	ACT 39LV088	UTI	UTI 29LV081A
PM29LV040	(Vpp=5.0V)	AM29F800T/B	(Vpp=5.0V)	UTI29LV800AT	(Vpp=3.3V)
PMC	PM 29LV040	AMD	Am 29F800T/B	UTI	UTI 29LV800AT
PM39F040	(Vpp=5.0V)	AM29LV800T/B	(Vpp=3.3V)	W39V080FA*	(Vpp=3.3V)
PMC	PM 39F040	AMD	Am 29LV800T/B	Winbond	W 39V0480FA
PM39LV040	(Vpp=5.0V)	AM29LV008T/B	(Vpp=3.3V)	A29L160U/T	(Vpp=3.3V)
PMC	PM 39LV040	AMD	Am 29LV008T/B	AMIC	A 29L160U/T
PM49FL004T*	(Vpp=3.6V)	AM29F080	(Vpp=5.0V)	AM29F016	(Vpp=5.0V)
PMC	PM 49FL004T	AMD	Am 29F080	AMD	Am 29F016
PT28C040	(Vpp=12.75V)	EN29F080	(Vpp=5.0V)	AM29LV016	(Vpp=3.3V)
PT	PT 28C040	EON	EN 29F080	AMD	Am 29LV016
PT29C040	(Vpp=5.0V)	EN29F800T/B	(Vpp=5.0V)	AM29LV160T/B	(Vpp=3.3V)
PT	PT 29C040	EON	EN 29F800T/B	AMD	Am 29LV160T/B
S/F29C51004T	(Vpp=5.0V)	EN29LV800B/T	(Vpp=3.3V)	I28F016SA	(Vpp=12.0V)
Mosel/SyncMos	S29C/F29C51004T	EON	EN 29LV800B/T	Intel	E 28F016SA
S/F29C31004T	(Vpp=3.3V)	I28F008SA	(Vpp=12.0V)	LH28F016SUT	(Vpp=5.0V)
Mosel/SyncMos	S29C/F29C31004T	Intel	E 28F008SA	SHARP	LH 28F016SUT
SST28SF040	(Vpp=5.0V)	I28F008S3	(Vpp=12.0V, Vcc=3.3V)	LH28F160S3TD	(Vpp=5.0V)
SST	28SF040	Intel	E 28F008S3	SHARP	LH 28F160S3TD
SST28LF040	(Vpp=3.3V)	I28F008BV-T	(Vpp=12.0V)	LH28F160B-T	(Vpp=5.0V)
SST	28LF040	Intel	E 28F008BV-T	SHARP	LH 28F160B-T
SST37VF040	(Vpp=12.0V)	I28F008BX-B	(Vpp=12.0V)	MX26LV160B/T	(VPP=3.3V)
SST	37VF040	Intel	E 28F008BX-B	MXIC	MX 26LV160B/T
SST39SF040	(Vpp=5.0V)	I82802AC*	(Vpp=12V)	MX29F016	(Vpp=5.0V)
SST	39SF040	Intel	82802AC	MXIC	MX 29F016
SST39VF040	(Vpp=3.3V)	LH28F008BVT	(Vpp=12.0V)	MX29F1610/1	(VPP=5.0V)
SST	39VF040	SHARP	LH 28F008BVT	MXIC	MX 29F1610/1611
SST49LF004/A*	(Vpp=3.3V)	LH28F800SUT	(Vpp=5.0V)	MX29F1610A/B	(VPP=5.0V)
SST	49LF004/A	SHARP	LH 28F800SUT	MXIC	MX 29F1610A/1610B
TB29F043-T	(Vpp=5.0V)	M29W800xB/T	(Vpp=3.3V)	MX29L1611	(VPP=3.3V)
TwinMos	TB 29F043-T	SGS	M 29W800xB/T	MXIC	MX 29L1611
TI28F400AFT	(Vpp=12.0V)				
TI	TMS 28F400AFT				

PROM9801/00 EPROM/FLASH device support list (Jul. 18, 2005 V1.56)

MX29LV160B/T	(VPP=3.3V)
MXIC	MX 29LV160B/T
SST39VF016	(Vpp=3.3V)
SST	S 39VF016
UTI29LV160(A/B)T	(Vpp=3.3V)
UTI	UTI 29LV160AT/BT
UTI29LV017B	(Vpp=3.3V)
UTI	UTI 29LV017B
AM29F032	(Vpp=5.0V)
AMD	Am 29F032
AM29DL320B/T	(Vpp=3.3V)
AMD	Am 29DL320B/T
LH28F032SUT	(Vpp=5.0V)
SHARP	LH 28F032SUT
Intel	I 28F032SUT
LH28F320S3TD	(Vpp=5.0V)
SHARP	LH 28F320S3TD
Intel	I 28F320S3TD
MX29L3211	(Vpp=3.3V)
MXIC	MX 29L3211
MX29LV033(A)	(Vpp=3.3V)
MXIC	MX 29LV033(A)
MX29LV320B/T	(Vpp=3.3V)
MXIC	MX 29LV320 B/T
USI29F325B	(Vpp=3.3V)
USI	29F325B
UTI29LV320BT	(Vpp=3.3V)
UTI	UTI 29LV320BT
W19L/B320SB/ST	(Vpp=12.0V)
Winbond	W 19L/B320SB/ST
MBM29DL640E	(Vpp=3.3V)
FUJITSH	MBM 29DL640E
TC58FVB641	(Vpp=3.3V)
TOSHIBA	TC 58FVB641

*: need a pin-adaptor

(48): operates on 48pin textool

_ : not supported in PROM9800 model